



**M**ONOBLAST  
**C**OLLECTIONS  
**V**OLUME-1





## **BRAND INTRO**

**MonoBlast is the ultimate enhancement designed for every vehicle navigating Indian streets.**

**Crafted to meet international standards and designed with intention, every item is created to elevate the appearance, sound, and experience of your vehicle. This collection showcases our most reliable innovations – designed for installers, cherished by drivers.**

# WHO ARE WE?

Monoblast is a focused automotive technology brand with one clear goal – to make the vehicle enhancement process smoother, more dependable, and easy to trust. Our vision is rooted in offering practical, high-quality solutions that meet real-world needs while keeping the user journey straightforward.

From infotainment units and sound systems to lighting and essential fitting tools, each product is carefully designed to bring both function and finesse. With a strong emphasis on usability, we work to simplify every touchpoint – from development to packaging – so the experience feels seamless for both car owners and installation professionals.

What sets Monoblast apart is our consistent attention to real performance, lasting quality, and day-to-day reliability.

We prioritise clarity in specifications and ensure our products not only look refined but also integrate naturally with modern and older vehicles alike.

We understand how important durability, compatibility, and dependable after-sales support are in this industry. That's why we collaborate with experienced teams across the ecosystem – ensuring that our products deliver as promised, under real life conditions.

Our growing support network, transparent systems, and evolving product lineup reflect a long-term approach. At Monoblast, every product is designed to be more than just a component – it's part of building a lasting relationship based on trust.

More than just a name, Monoblast stands for reliability, honesty, and care – in every detail, every customer interaction, and every drive forward.

# WHY MONOBLAST?

- ***Every product serves a clear purpose***  
We don't believe in adding items just for variety. Each product is thoughtfully selected to address genuine needs faced by both installers and car owners.
- ***Specifications you can rely on***  
All technical details we share are real, tested, and meant to reflect true product performance not just marketing talk.
- ***Designed with precision and simplicity***  
Our products are styled to feel premium yet practical – with clean lines, solid finishes, and packaging that reflects our quality standards.
- ***Made with the installer in mind***  
We carefully design our products to make installation faster and easier – with fitments, wiring, and usability considered from the very beginning.
- ***Simple and secure E-Warranty system***  
A digital-first warranty process that makes product registration easy, fast, and fully trackable.
- ***Personalised customer support structure***  
We maintain internal systems to stay connected with every query, ensuring that no feedback or concern is missed or delayed.
- ***Service that continues after purchase***  
We treat after-sales seriously – providing timely assistance and responsible resolutions without making you chase us.
- ***We improve what we build***  
With regular feedback from real users and market partners, we keep evolving – making sure every batch performs better than the last.
- ***We focus on consistency, not shortcuts***  
Monoblast is growing one step at a time, with attention to detail and a commitment to doing things right – not just fast.

## How to Register Your Product for E-Warranty Scan the QR Code

- **Locate and scan the QR code on your product or packaging using your smartphone.**
- **Fill Out the Registration Form**
- **After scanning, a landing page will appear prompting you to enter the following details:**
  - 13-digit product code
  - Full name
  - Mobile number
  - Email address
  - Product serial number
  - Upload a copy of the invoice or warranty card
  - Submit and Confirm
- **Once all details are filled in and documents uploaded, submit the form. Your warranty will be registered on that day.**
- **You will receive a confirmation email containing your login credentials (email and password).**

## Accessing Your E-Warranty status

- **Go to the official Monoblast website • Navigate to the E-Warranty section**
- **Enter any one of the following:**
  - **MB Serial Number (mentioned on your product)**
  - **13-digit Code used during warranty registration**
  - **Registered Phone Number (you'll receive an OTP)**
  - **Once entered, your warranty status will be instantly displayed.**



### TO REGISTER E-WARRANTY

1. Scan the QR Code
2. Upload Purchase Invoice/Physical Warranty Card and fill required information
3. Click on Register for E-Warranty



**For Support Call 7353000903**

SN: ABXX-0000-0000

▼ SCRATCH HERE ▼

## *Accessing Your Warranty Dashboard •*

### **Visit the VCQRU Website**

- **Go to [www.vcqr.com](http://www.vcqr.com).**
- **Login or Sign Up**
- **Click on the “Login / Signup” option located at the top right corner.**
- **Enter your registered mobile number to access your user dashboard.**
- **Explore Your Dashboard**
- **Within the dashboard, you can:**
  - View warranty period and expiration date**
  - Track claim history and status**
  - Access success and failure codes**
  - Manage your registered products**

## *Filing a Warranty Claim*

- **Login to Your Dashboard**
- **Use your credentials to log in to your account.**
- **Initiate a Claim**
- **Navigate to the warranty claim section.**
- **Provide details about the issue:**
  - Upload photos of the product highlighting the problem**
  - Write a detailed message describing the issue**
- **After providing all necessary information, submit your claim.**
- **Await Response**
- **The company will review your claim and provide redressal accordingly**

# THE MEDIA ZONE

**ANDROID  
SERIES**

# **MB-3326**

**ESSENTIAL FEATURES.  
RELIABLE PERFORMANCE.**



- **9.5" LCD | 1280×800 RESOLUTION (1K)**
- **2GB RAM + 32GB FLASH**
- **QUAD-CORE PROCESSOR | 1.5GHZ**
- **BLUETOOTH VERSION 5.0**
- **WIRED & WIRELESS CARPLAY + ANDROID AUTO**
- **AUDIO OUTPUT: 52W X 4**
- **2.5D G+G TOUCH PANEL**

# MB-130

## ULTRA-CLEAR DISPLAY. PRO-LEVEL TUNING.



- **9.5" LCD | 2000×1200 RESOLUTION (2K UHD)**
- **2GB RAM + 32GB FLASH**
- **QUAD-CORE PROCESSOR | 1.5GHZ**
- **32-BAND BUILT-IN DSP**
- **BLUETOOTH VERSION 5.4**
- **WIRED & WIRELESS CARPLAY + ANDROID AUTO**

# **MB-150**

**BIGGER MEMORY.  
RICHER SOUND.**



- **9.5" LCD | 2000×1200 RESOLUTION (2K UHD)**
- **4GB RAM + 64GB FLASH**
- **QUAD-CORE PROCESSOR | 1.5GHZ**
- **32-BAND DSP SOUND PROCESSING**
- **BLUETOOTH VERSION 5.4**
- **WIRED & WIRELESS CARPLAY + ANDROID AUTO**

# **MB-170**

**MORE INPUTS.  
MORE POSSIBILITIES.**



- **9.5" LCD | 2000x1200 RESOLUTION (2K UHD)**
- **4GB RAM + 64GB FLASH**
- **QUAD-CORE PROCESSOR | 1.5GHZ**
- **32-BAND DSP SOUND PROCESSING**
- **BLUETOOTH VERSION 5.4**
- **SUPPORTS 360° CAMERA INTEGRATION**
- **RCA AUDIO/VIDEO INPUT & OUTPUT PORTS**
- **SUBWOOFER OUTPUT**
- **WIRED & WIRELESS CARPLAY + ANDROID AUTO**

# **MB-3326 DIAMOND**

**SLIM METAL BUILD.  
SMOOTH CONTROL**



- **10.1" LCD SCREEN**
- **2GB RAM + 32GB FLASH**
- **DUAL KNOB FOR EASY VOLUME/TUNE CONTROL**
- **QUAD-CORE PROCESSOR | 1.5GHZ**
- **AUDIO OUTPUT: 52W X 4**
- **WIRED & WIRELESS CARPLAY + ANDROID AUTO**

# MP3 SERIES

# MB-7070 / 8080

## PREMIUM DISPLAY. PUNCHY AUDIO.



- **50x4 WATTS HIGH POWER OUTPUT**
- **SUPER BRIGHT IPS SCREEN**
- **MULTI-COLOUR KEY ILLUMINATION**
- **6 RCA JACKS WITH SUBWOOFER OUTPUT SUPPORT**
- **USB/SD INPUT WITH PHONE CHARGING PORT**
- **BLUETOOTH CONNECTIVITY**
- **COMES WITH REMOTE CONTROL**

# MB-504 / 505

**CLEAN SOUND.  
EVERYDAY FUNCTIONALITY.**




- **50x4 WATTS HIGH POWER OUTPUT**
- **REAL LCD SCREEN**
- **MULTI-COLOUR KEY ILLUMINATION**
- **USB/SD INPUT WITH PHONE CHARGING PORT**
- **BLUETOOTH CONNECTIVITY**
- **COMES WITH REMOTE CONTROL**

# CHARGER & DOCK SERIES

# **MB-130**

## **FAST CHARGING.**

## **TRANSPARENT FINISH.**



- **130W PD/QC FAST CHARGING**
- **4-IN-1 CHARGING CABLE COMBO**
- **TRANSPARENT DESIGN**
- **BUILT-IN PROTECTION CIRCUIT**
- **SEPARATE CHARGING HEAD AND DATA CABLE**
- **HIGH-RESISTANCE MATERIAL**
- **SUPPORTS FAST CHARGING + DATA TRANSMISSION**

# **MB-D55**

**DURABLE DOCK.  
SAFE CHARGING.**



**PD+USB**

- **5.5A PD/QC FAST CHARGE DOCK**
- **TRANSPARENT DESIGN**
- **METAL BODY FOR ADDED PROTECTION**
- **BUILT-IN SAFETY CIRCUIT**
- **HIGH-RESISTANCE INTERNAL COMPONENTS**

# **MB-DC55A**

## **COMBO CHARGING.**

## **CLEAR & COMPACT.**



- **5.5A PD/QC FAST CHARGING**
- **4-IN-1 CABLE COMBO INCLUDED**
- **TRANSPARENT BODY DESIGN**
- **SEPARATE CHARGING HEAD AND DATA CABLE**
- **BUILT-IN PROTECTION CIRCUIT**
- **HIGH-RESISTANCE MATERIAL**
- **FAST CHARGING + DATA SYNC SUPPORTED**

# THE LIGHTING ZONE

# **MB-20**


**RELIABLE BRIGHTNESS.  
CLEAN 6000K BEAM.**



- **200W TOTAL OUTPUT | 20,000 LUMENS**
- **6000K PURE WHITE COLOUR TEMPERATURE**
- **IP68 WATERPROOF RATED**
- **CANBUS COMPATIBLE FOR SMOOTH OPERATION**
- **HEAVY-DUTY LED FOR UNIVERSAL FITMENT**
- **PLUG & PLAY INSTALLATION**

# **MB-28**

## **POWERFUL THROW. SMOOTH PERFORMANCE.**



- **280W OUTPUT | 28,000 LUMENS**
- **6000K COOL WHITE BEAM**
- **IP68 WATERPROOF PROTECTION**
- **CANBUS COMPATIBLE FOR STABLE FUNCTION**
- **RUGGED BUILD FOR ALL ROAD CONDITIONS**
- **PLUG & PLAY INSTALLATION**

# **MB-32**

## **EXTREME OUTPUT. PURE CLARITY.**



- **320W TOTAL OUTPUT | 32,000 LUMENS**
- **6000K COLOUR TEMPERATURE - DAYLIGHT LOOK**
- **IP68 WATERPROOF AND DUSTPROOF**
- **CANBUS COMPATIBLE FOR HASSLE-FREE USE**
- **STRONG, LONG-LASTING LED BODY**
- **PLUG & PLAY INSTALLATION**

# THE SOUND ZONE

**SPEAKER  
SERIES**

## **MB-50MD** **COMPACT BUILD.** **CRISP MIDS**



- **150W RMS POWER**
- **6.5" BLACK PRESS PAPER CONE WITH CLOTH EDGE**
- **1" (25MM) KSV VOICE COIL**
- **200Z HIGH-DENSITY FLUX FERRITE MAGNET**
- **BLACK STEEL BASKET**
- **FREQUENCY RESPONSE: 135HZ - 13KHZ**
- **SENSITIVITY: 92DB**

## **MB-130 MD**

**HIGHER WATTAGE.  
PUNCHIER OUTPUT.**



- **240W RMS POWER**
- **6.5" BLACK PRESS PAPER CONE WITH CLOTH EDGE**
- **1.5" (38MM) KSV VOICE COIL**
- **300Z HIGH-DENSITY FLUX FERRITE MAGNET**
- **BLACK STEEL BASKET**
- **FREQUENCY RESPONSE: 100HZ - 10KHZ**
- **SENSITIVITY: 95DB**

**4" 2 WAY**



**MB 4040**  
**160 WATTS**

**6" 3 WAY**



**MB 6060**  
**320 WATTS**

# 6.5" 3 WAY WITH RING



***MB 6500***  
***400 WATTS***

**66\*9"**  
**3 WAY WITH RING.5"**



***MB 6900***  
***600 WATTS***

# **SUBWOOFER SERIES**

# **MB-600SW**

**HEAVY BASS.  
DUAL COIL STRENGTH.**




- **12" (320MM) SUBWOOFER**
- **650W RATED POWER | 2000W MAX POWER**
- **2.5" (65MM) DUAL VOICE COIL**
- **BLACK WRINKLE CONE WITH RUBBER EDGE**
- **56OZ × 2 HIGH-DENSITY FLUX FERRITE**
- **ORANGE STEEL BASKET**
- **4Ω + 4Ω IMPEDANCE**
- **FREQUENCY RESPONSE: 35HZ - 900HZ**
- **SENSITIVITY: 90DB**

# **AMPLIFIER SERIES**

# MB260

**POWER OUTPUT: 2×60W @ 4Ω | 2×90W @ 2Ω**

**BRIDGED OUTPUT: 1×180W @ 4Ω**




- **WIDE FREQUENCY RESPONSE: 10HZ-50KHZ**
- **INPUT SENSITIVITY: 0.2V-6.0V**
- **95DB SIGNAL-TO-NOISE RATIO**
- **BUILT-IN HIGH/LOW PASS FILTERS 150HZ-250HZ & 120HZ-3KHZ**
- **BASS EQ BOOST: 0-6/12DB**
- **SPEAKER COMPATIBILITY: 2Ω TO 16Ω**
- **COMPACT SIZE: 234.6×140×47.74MM**
- **FUSE: 1×25A**

# MB2100

**POWER OUTPUT: 2×100W @ 4Ω | 2×150W @ 2Ω**

**BRIDGED OUTPUT: 1×300W @ 4Ω**



- **CLEAN 10HZ-50KHZ OUTPUT RANGE**
- **INPUT RANGE: 0.2V-6.0V**
- **95DB S/N RATIO FOR PREMIUM CLARITY**
- **50HZ-250HZ LPF & 120HZ-3KHZ HPF**
- **BASS EQ: 0-6/12DB**
- **WORKS WITH 2Ω TO 16Ω SETUPS**
- **FUSE: 1×35A**
- **SIZE: 250×155.4×50MM**

# MB460

**POWER OUTPUT: 4X60W @ 4Ω | 4X80W @ 2Ω**  
**BRIDGED OUTPUT: 2X160W @ 4Ω**



- **BROAD 10HZ-50KHZ FREQUENCY RESPONSE**
- **ADJUSTABLE INPUT: 0.2V-6.0V**
- **S/N RATIO >95DB**
- **CROSSEOVERS: LPF 50HZ-250HZ & HPF 120HZ-3KHZ**
- **BASS BOOST: 0-6/12DB**
- **IMPEDANCE: 2Ω TO 16Ω**
- **COMPACT BODY: 234.6×140×47.74MM**
- **FUSE: 2×25A**

## **MB480**

**POWER OUTPUT: 4X80W @ 4Ω | 4X100W @ 2Ω**  
**BRIDGED OUTPUT: 2X200W @ 4Ω**



- **SMOOTH SOUND FROM 10HZ-50KHZ**
- **INPUT FLEXIBILITY: 0.2V-6.0V**
- **NOISE-FREE PERFORMANCE: >95DB S/N**
- **BUILT-IN HPF/LPF AND BASS EQ**
- **IMPEDANCE SUPPORT: 2Ω-16Ω**
- **SIZE: 250×155.4×50MM**
- **FUSE: 2×30A**

## **MB4100**

**POWER OUTPUT: 4X100W @ 4Ω | 4X160W @ 2Ω**  
**BRIDGED OUTPUT: 2X320W @ 4Ω**



- **PRECISION TUNING: 10HZ-50KHZ**
- **INPUT SENSITIVITY: 0.2V-6.0V**
- **ULTRA-CLEAR AUDIO: >95DB S/N RATIO**
- **0-6/12DB BASS EQ + HPF/LPF CONTROL**
- **SPEAKER RANGE: 2Ω-16Ω**
- **POWERFUL SIZE: 330.14×198.24×53.74MM**
- **FUSE: 3×25A**

# **WIRING ESSENTIALS**

## **RC 3M**

**HIGH-QUALITY 3 METRE AUDIO CABLE  
FOR AMPLIFIERS AND SPEAKER SYSTEMS.**



- **NOISE-RESISTANT COPPER CORE**
- **GOLD-PLATED CONNECTORS**
- **TRANSPARENT JACKET DESIGN**
- **SMOOTH AND STABLE SIGNAL TRANSFER**

## RC 5M

**PREMIUM 5 METRE RCA CABLE IDEAL FOR  
LONG-RANGE INSTALLATIONS.**



- **SHIELDED COPPER WIRING FOR CLEAR SOUND**
- **GOLD-FINISH PLUGS FOR STRONG CONNECTIVITY**
- **FLEXIBLE BUILD WITH TRANSPARENT SHEATHING**
- **RELIABLE PERFORMANCE ACROSS DISTANCES**

# MB-K4



**• HIGH-PERFORMANCE 4GA AMP WIRING KIT**

**INCLUDES:**

**.20FT 4GA TRANSPARENT FROSTED ORANGE POWER CABLE**

**.3FT 4GA TRANSPARENT FROSTED BLACK GROUND CABLE**

**.33FT 16GA TRANSPARENT SPEAKER CABLE**

**.17FT RCA CABLE (ORANGE + BLACK)**

**.17FT 18GA BLUE REMOTE CABLE**

**.6FT 10GA BLACK WAVE TANK CABLE**

**.1PC 60A FUSE HOLDER**

**.COMPLETE ACCESSORY SET**

# MB-K8



- **COMPLETE 8GA WIRING KIT FOR MODERATE-POWER AUDIO SYSTEMS**
- **INCLUDES:**
  - . **20FT 8GA TRANSPARENT FROSTED ORANGE POWER CABLE**
  - . **3FT 8GA TRANSPARENT FROSTED BLACK GROUND CABLE**
  - . **33FT 16GA TRANSPARENT SPEAKER CABLE (BLUE + ORANGE)**
  - . **17FT RCA CABLE (ORANGE + BLACK)**
  - . **17FT 18GA BLUE REMOTE CABLE**
  - . **6FT 10GA BLACK WAVE TANK**
  - . **1PC 60A FUSE HOLDER**
  - . **FULL ACCESSORY SET WITH TERMINALS & BLOCKS**

# THE UTILITY ZONE

# **MB-C12**

**QUICK INFLATION.  
TRAVEL-READY DESIGN.**



- **DC 12V WORKING VOLTAGE**
- **120W RATED POWER**
- **INFLATION SPEED: 30L/MIN**
- **PRESSURE RANGE: UP TO 100 PSI**
- **TEMPERATURE RANGE: -4°F TO 150°F**
- **LED LIGHT + CLEAR PRESSURE METER**
- **HEAT-INSULATED BODY**

# **MB-C35**

## **REAL PICTURE. TRAVEL-READY DESIGN.**



**FISH EYE  
GLASS LENS  
MOVING LINE**

- **MOVING LINE REAR VIEW CAMERA**
- **18.5MM AHD /CVBS SWITCHABLE**
- **WIDE ANGLE 170 DEGREE**
- **HI END ORIGINAL TAIWAN CHIP**
- **1280\*720 P**
- **WATERPROOF IP68**

# **MB-C30**

**REAL PICTURE.  
TRAVEL-READY DESIGN.**



**FISH EYE  
GLASS LENS  
CAR CAMERA**

- **REAR VIEW CAMERA**
- **18.5MM AHD /CVBS SWITCHABLE**
- **WIDE ANGLE 170 DEGREE**
- **HI END ORIGINAL TAIWAN CHIP**
- **1280\*720 P**
- **WATERPROOF IP68**

# **MB-C15**

**REAL PICTURE.  
TRAVEL-READY DESIGN.**



**FISH EYE  
GLASS LENS  
MOVING LINE**

- **MOVING LINE REAR VIEW CAMERA**
- **DOM E AHD /CVBS SWITCHABLE**
- **WIDE ANGLE 170 DEGREE**
- **HI END ORIGINAL TAIWAN CHIP**
- **1280\*720 P**
- **WATERPROOF IP68**